

Measurement of Glucose Homeostasis in Human Brain by NMR: Effect of Recurrent Hypoglycemia on Type 1 Diabetes (Aim 2)

Status: Recruiting

Eligibility Criteria

Sex: Male or Female

Age Group: 18 years and over

Inclusion Criteria:

- 18 to 65 years old - diagnosis of Type 1 diabetes - diabetes duration 2
- 30 years - Hemoglobin A1C less than 8.5%

Exclusion Criteria:

- unaware of hypoglycemia when it is occurring - pregnant or plan to become pregnant during the study - uncontrolled hypertension (blood pressure greater than 145/95 mmHg) - inability to undergo MRI scanning, including but not limited to unable to remain still in an MRI scanner for more than 30 minutes, claustrophobia, presence of paramagnetic substances or pacemakers in body, weight over 300 pounds - other medical or mental health issues (study staff will review)

Conditions & Interventions

Conditions:

Diabetes & Endocrine

Keywords:

Diabetes Mellitus, Type 1

More Information

Description: Individuals with type 1 diabetes often develop an impaired awareness of hypoglycemia (IAH), meaning they are not fully aware of having low blood glucose levels. This research study is looking to determine what happens in the brain after repeat episodes of hypoglycemia.

Study Contact: Diabetes Study - studydiabetes@umn.edu

Principal Investigator: Elizabeth Seaquist

Phase: N/A

IRB

Number: STUDY00008108

Thank you for choosing StudyFinder. Please visit <http://studyfinder.umn.edu> to find a Study which is right for you and contact sfinder@umn.edu if you have questions or need assistance.