



Inhibitory Mechanisms of Negative Urgency in Adolescent Suicidal Behavior

Status: Recruiting

Eligibility Criteria

Sex: Male or Female

Age Group: Not specified

This study is NOT accepting healthy

volunteers

Inclusion Criteria:

- 13-21 years of age - current unipolar depressive episode - lifetime history of suicidal ideation OR suicidal behavior

Exclusion Criteria:

- lifetime history of psychosis, hypomania, mania - historical diagnosis of autism spectrum disorder or intellectual disability - pregnancy - neurological disorders - MRI contraindications (metal implants, fragments or devices)

Conditions & Interventions

Conditions:

Brain & Nervous System, Children's Health, Mental Health & Addiction

Keywords:

adolescents, Depression, mental health, suicide, teens

More Information

Description: This study is being done to better understand how the brain and impulsive decision-making are connected to depression and suicidal behaviors in people ages 13-21. Participants will complete clinical assessments, behavioral measures, undergo an MRI scan and complete transcranial magnetic stimulation with electroencephalography (TMS-EEG). There will be follow-ups at 6 and 12 months.

Study Contact: Ab Flab Study - abflab@umn.edu

Principal Investigator: Kathryn Cullen

Phase: NA

IRB Number: STUDY00020551

Thank you for choosing StudyFinder. Please visit http://studyfinder.umn.edu to find a Study which is right for you and contact sfinder@umn.edu if you have questions or need assistance.